

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4	skin same kit and (e6 or e7) and hpv and reaction	USPAT	2001/01/25 08:53

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
skin same kit and (e6 or e7) and reaction and hpv	4

**Database:**

US Patents Full-Text Database  
JPO Abstracts Database  
EPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Refine Search:**

skin same kit and (e6 or e7) and  
reaction and hpv

[Clear](#)**Search History****Today's Date: 1/25/2001**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT,JPAB,EPAB,DWPI,TDBD	skin same kit and (e6 or e7) and reaction and hpv	4	<a href="#">L4</a>
USPT,JPAB,EPAB,DWPI,TDBD	skin and kit and (e6 or e7) and reaction and hpv	96	<a href="#">L3</a>
USPT,JPAB,EPAB,DWPI,TDBD	skin and kit and (e6 or e7) and reaction	209	<a href="#">L2</a>
USPT,JPAB,EPAB,DWPI,TDBD	skin same kit same (e6 or e7) same reaction	1	<a href="#">L1</a>

Terms	Documents
skin same kit and (e6 or e7) and reaction and hpv	4

---

Documents, starting with Document:

**Display Format:**

National Library  
of Medicine

PubMed

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	
Search	PubMed	▼	for	oncoprotein AND (e6 OR E7) AND (hpv OR papill)			Go	Clear
		Limits	Preview/Index		History		Clipboard	

Entrez PubMed

Display	Summary	▼	Save	Text	Order	Details	Add to Clipboard	
Show:	20	▼	Items 21-28 of 28			Page 2 of 2		Select page

PubMed Services

- ☐ **21:** Ghosh AK, Smith NK, Stacey SN, Glew SS, Connor ME, Arrand JR, Stern PL. Related  
Serological response to HPV 16 in cervical dysplasia and neoplasia: correlation of antibodies to E6 with cervical cancer.  
Int J Cancer. 1993 Feb 20;53(4):591-6.  
PMID: 8382193; UI: 93170933

Related Resources

- ☐ **22:** Kashiwabara K, Nakajima T. Related  
Detection of human papillomavirus DNA in invasive cervical cancers by the polymerase chain reaction and its clinical significance.  
Acta Pathol Jpn. 1992 Dec;42(12):876-83.  
PMID: 1337817; UI: 93175190

- ☐ **23:** Stacey SN, Bartholomew JS, Ghosh A, Stern PL, Mackett M, Arrand JR. Related  
Expression of human papillomavirus type 16 E6 protein by recombinant baculovirus and use for detection of anti-E6 antibodies in human sera.  
J Gen Virol. 1992 Sep;73 (Pt 9):2337-45.  
PMID: 1328490; UI: 93019057

- ☐ **24:** Halbert CL, Demers GW, Galloway DA. Related  
The E6 and E7 genes of human papillomavirus type 6 have weak immortal activity in human epithelial cells.  
J Virol. 1992 Apr;66(4):2125-34.  
PMID: 1312623; UI: 92194447

- ☐ **25:** Doorbar J, Ely S, Coleman N, Hibma M, Davies DH, Crawford L. Related  
Epitope-mapped monoclonal antibodies against the HPV16E1--E4 protein  
Virology. 1992 Mar;187(1):353-9.  
PMID: 1371027; UI: 92142526

- ☐ **26:** Mitrani-Rosenbaum S, Tsvieli R. Related  
Differential cooperation of a carcinogen with human papillomavirus type 6 16 DNAs in in vitro oncogenic transformation.  
Intervirology. 1992;33(2):76-85.  
PMID: 1314784; UI: 92234711

- ☐ **27:** Suchankova A, Ritterova L, Krcmar M, Krchnak V, Vagner J, Jochmus I, Gissmann L, Kanka J, Vonka V. Related  
Comparison of ELISA and western blotting for human papillomavirus type

National Library  
of Medicine

PubMed

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	
Search	PubMed	▼	for	oncoprotein AND (e6 OR E7) AND (hpv OR pap11c)			Go	Clear
Limits		Preview/Index		History		Clipboard		

Entrez PubMed

Display	Summary	▼	Save	Text	Order	Details	Add to Clipboard
Show:	20	▼	Items 1-20 of 28		Page 1 of 2		Select page

PubMed Services

- ☐ 1: Chow VT, Loh E, Yeo WM, Tan SY, Chan R. Related  
Identification of multiple genital HPV types and sequence variants by cons  
and nested type-specific PCR coupled with cycle sequencing.  
Pathology. 2000 Aug;32(3):204-8.  
[MEDLINE record in process]  
PMID: 10968397; UI: 20421607

Related Resources

- ☐ 2: Sasagawa T, Minemoto Y, Basha W, Yamazaki H, Nakamura M, Yoshimoto H, Sakaie J, Inoue M. Related  
A new PCR-based assay amplifies the E6-E7 genes of most mucosal huma  
papillomaviruses (HPV).  
Virus Res. 2000 Apr;67(2):127-39.  
PMID: 10867192; UI: 20327988

- ☐ 3: Madeleine MM, Shera K, Schwartz SM, Daling JR, Galloway DA, Wipf GC, Carter JJ, McKnight B, McDougall JK. Related  
The p53 Arg72Pro polymorphism, human papillomavirus, and invasive squ  
cell cervical cancer.  
Cancer Epidemiol Biomarkers Prev. 2000 Feb;9(2):225-7.  
PMID: 10698487; UI: 20162313

- ☐ 4: Schwalbach G, Sibler AP, Choulier L, Deryckere F, Weiss E. Related  
Production of fluorescent single-chain antibody fragments in Escherichia c  
Protein Expr Purif. 2000 Mar;18(2):121-32.  
PMID: 10686142; UI: 20153314

- ☐ 5: Pillai MR, Phanidhara A, Kesari AL, Nair P, Nair MK. Related  
Cellular manifestations of human papillomavirus infection in the oral muco  
J Surg Oncol. 1999 May;71(1):10-5.  
PMID: 10362085; UI: 99288931

- ☐ 6: Agarwal SK, Chatterji A, Bhambhani S, Sharma BK. Related  
Immunohistochemical co-expression of human papillomavirus type 16/18  
transforming (E6) oncoprotein and p53 tumour suppressor gene proteins i  
oesophageal cancer.  
Indian J Exp Biol. 1998 Jun;36(6):559-63.  
PMID: 9731468; UI: 98401655

- ☐ 7: Park JS, Park DC, Kim CJ, Ahn HK, Um SJ, Park SN, Kim SJ, Namkoong SE. Related

**HPV-16-related proteins as the serologic markers in cervical neoplasia.**

Gynecol Oncol. 1998 Apr;69(1):47-55.

PMID: 9570998; UI: 98240895

- ☐ **8:** He D, Tsao SW, Bu H. Related  
[Human papillomavirus infection and esophageal squamous cell carcinoma  
Chung Hua Ping Li Hsueh Tsa Chih. 1996 Dec;25(6):351-4. Chinese.  
PMID: 9388862; UI: 98050245
- ☐ **9:** Adler K, Erickson T, Bobrow M. Related  
High sensitivity detection of HPV-16 in SiHa and CaSki cells utilizing FIS  
enhanced by TSA.  
Histochem Cell Biol. 1997 Oct-Nov;108(4-5):321-4.  
PMID: 9387924; UI: 98047117
- ☐ **10:** Ruesch MN, Laimins LA. Related  
Initiation of DNA synthesis by human papillomavirus E7 oncoproteins is r  
to p21-mediated inhibition of cyclin E-cdk2 activity.  
J Virol. 1997 Jul;71(7):5570-8.  
PMID: 9188631; UI: 97332397
- ☐ **11:** Lappalainen K, Pirila L, Jaaskelainen I, Syrjanen K, Syrjanen S. Related  
Effects of liposomal antisense oligonucleotides on mRNA and protein leve  
the HPV 16 E7 oncogene.  
Anticancer Res. 1996 Sep-Oct;16(5A):2485-92.  
PMID: 8917339; UI: 97074912
- ☐ **12:** Bagot M, Charue D, Cerni C, Revuz J, Meneguzzi G. Related  
Induction of rat CD4+ proliferative and mouse CD8+ cytotoxic T-cell line  
specific for human papillomavirus type 16 antigens.  
Res Virol. 1996 Sep-Oct;147(5):301-11.  
PMID: 8880999; UI: 97035343
- ☐ **13:** Cavuslu S, Mant C, Starkey WG, Bible JM, Biswas C, Kell B, Rice P, Best JM, Cason J. Related  
Analytic sensitivities of hybrid-capture, consensus and type-specific polym  
chain reactions for the detection of human papillomavirus type 16 DNA.  
J Med Virol. 1996 Aug;49(4):319-24.  
PMID: 8877765; UI: 97031859
- ☐ **14:** Cavuslu S, Starkey WG, Kaye JN, Biswas C, Mant C, Kell B, Rice P, Best JM, Cason J. Related  
Detection of human papillomavirus type-16 DNA utilising microtitre-plate  
amplification reactions and a solid-phase enzyme-immunoassay detection s  
J Virol Methods. 1996 Apr 26;58(1-2):59-69.  
PMID: 8783151; UI: 96377304
- ☐ **15:** Fujii T, Tsukazaki K, Kiguchi K, Kubushiro K, Yajima M, Nozawa S. Related  
The major E6/E7 transcript of HPV-16 in exfoliated cells from cervical ne  
patients.  
Gynecol Oncol. 1995 Aug;58(2):210-5.

PMID: 7622108; UI: 95347660

- ☐ **16:** Stoian M, Anton G, Achim R, Repanovici R. Related  
Presence of papillomavirus infections in genital lesions of women in Roma  
Rom J Virol. 1995 Jan-Jun;46(1-2):43-50.  
PMID: 9106400; UI: 97254935
- ☐ **17:** Monk BJ, Cook N, Ahn C, Vasilev SA, Berman ML, Wilczynski SP. Related  
Comparison of the polymerase chain reaction and Southern blot analysis in  
detecting and typing human papilloma virus deoxyribonucleic acid in tumor  
the lower female genital tract.  
Diagn Mol Pathol. 1994 Dec;3(4):283-91.  
PMID: 7866640; UI: 95171000
- ☐ **18:** Sun Y, Shah KV, Muller M, Munoz N, Bosch XF, Viscidi RP. Related  
Comparison of peptide enzyme-linked immunosorbent assay and  
radioimmunoprecipitation assay with in vitro-translated proteins for detect  
serum antibodies to human papillomavirus type 16 E6 and E7 proteins.  
J Clin Microbiol. 1994 Sep;32(9):2216-20.  
PMID: 7529250; UI: 95114033
- ☐ **19:** Viscidi RP, Sun Y, Tsuzaki B, Bosch FX, Munoz N, Shah KV. Related  
Serologic response in human papillomavirus-associated invasive cervical c.  
Int J Cancer. 1993 Nov 11;55(5):780-4.  
PMID: 8244575; UI: 94064167
- ☐ **20:** Stacey SN, Ghosh A, Bartholomew JS, Tindle RW, Stern PL, Mackett M, Arrand JR. Related  
Expression of human papillomavirus type 16 E7 protein by recombinant  
baculovirus and use for the detection of E7 antibodies in sera from cervical  
carcinoma patients.  
J Med Virol. 1993 May;40(1):14-21.  
PMID: 7685808; UI: 93294546

Display	Summary	▼	Save	Text	Order	Details	Add to Clipboard
Show:	20	▼	Items 1-20 of 28		Page 1 of 2		Select page

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

**E7 antibody determination.**

J Gen Virol. 1991 Oct;72 ( Pt 10):2577-81.

PMID: 1655964; UI: 92013981

- ☐ **28:** [Bleul C, Muller M, Frank R, Gausepohl H, Koldovsky U, Mgaya HN, Luande J, Pawlita M, ter Meulen J, Viscidi R, et al.](#) [Related](#)

**Human papillomavirus type 18 E6 and E7 antibodies in human sera: increased anti-E7 prevalence in cervical cancer patients.**

J Clin Microbiol. 1991 Aug;29(8):1579-88.

PMID: 1722219; UI: 92105325

Display	Summary	Save	Text	Order	Details	Add to Clipboard
Show:	20	Items 21-28 of 28	Page 2 of 2	Select page		

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)